

UNLOCKING THE **POTENTIAL** OF SELF STORAGE



Partner with
Europe's leading
full-service provider.

CONTENTS

WELCOME TO JANUS!	03
ABOUT US	04
WHY WORK WITH JANUS?	06
SERVICES	07
PRODUCTS	08
GAME-CHANGING SELF STORAGE ACCESS CONTROL	14
MEZZANINES	16
EXTERNAL STORAGE SOLUTIONS	18
GREENCOAT PURAL® BT BY SSAB & COLOUR OPTIONS	21
ADDITIONAL COMPONENTS	24
SUSTAINABILITY	26
GETTING STARTED IN SELF STORAGE	27

WELCOME TO JANUS!

Janus International Europe is the global leader in sustainable self storage solutions, specialising in designing, manufacturing, and installing high-quality self storage units. We are also experts in facility automation and access control, featuring the award-winning Nokē™ Smart Entry system.

Since 1990, we've set the standard for excellence, combining sustainable manufacturing with expert consultation to deliver tailored solutions that add long-term value to our customers.

Our team works closely with contractors and industry professionals to ensure seamless project execution and unmatched support at every stage of your self storage journey.

Whether you're an experienced operator or a first-time entrepreneur, we offer scalable, innovative solutions to meet your unique needs.

Explore the following pages to **discover** how Janus can support your success.

TRUSTED BY SELF STORAGE OPERATORS ACROSS THE WORLD



ABOUT US

As the world's largest supplier of self storage products, Janus International Europe is at the forefront of innovation and excellence. Our dedication goes beyond meeting your current needs to remain your trusted partner for a lifetime.

A GLOBAL INDUSTRY LEADER

Janus International Europe was established in January 2019 from the merger of Steel Storage Europe Ltd and Janus International (UK) Ltd. Our origins trace back to the 1990s when Steel Storage played a pivotal role in advancing the self storage industry across Europe and Australasia. Our journey of growth has been marked by strategic milestones, including the acquisition of Active Supply and Design (CDM) Ltd in 2019, followed by Steel Storage Asia and Australia in 2020. In 2021, Janus International proudly became a publicly listed company on the New York Stock Exchange.

As part of our global integration, Steel Storage France and Australia transitioned to operating under the names Janus International France and Janus International Australia as of 2022, with Steel Storage España representing our operations in the Spanish market.

Headquartered in the UK, we operate manufacturing plants in the UK and we expanded further in 2023 with the opening of a state-of-the-art manufacturing facility in Wrocław, Poland, enabling us to serve our customers with even greater efficiency.

Our customers worldwide benefit from our unparalleled industry expertise, innovative solutions, and unwavering commitment to operational excellence.



WHY WORK WITH JANUS?

From new construction to upgrading existing facilities, our expertise and resources allow us to deliver tailor-made solutions for projects of any size. Trusted by clients worldwide, we ensure every project meets the highest standards.



TAILORED SOLUTIONS

Products designed to meet your specific needs.



DURABILITY & DESIGN

Manufactured using the highest quality raw materials, ensuring long-lasting performance without compromising security or aesthetics.



SUSTAINABILITY FIRST

Starting with sustainable production processes and recyclable materials, we are building a business fit for the future.



UNMATCHED SUPPORT

From expert consultations to dedicated aftercare, our team is here to ensure your experience is seamless and successful.

We are very happy to have

chosen Janus to support our journey. From the very beginning, Janus partnered with us on all our projects, in a rapidly expanding market like Italy.

Cesare Carcano
President, Casaforte



“We’re extremely proud of the working relationship between Janus and Wigwam.

Our collaboration has resulted in numerous, state-of-the-art, tech-enabled self storage facilities across the UK. The Janus team is professional, efficient, and a joy to work with. We couldn’t be happier with their product!

Freddie Crichton-Stuart Co-Founder, Wigwam Self Storage

We’re thrilled to have Janus as our partner, their invaluable support has been instrumental in our expansion

journey. Their commitment to excellence perfectly aligns with our mission to deliver the highest quality to our customers, making them an indispensable ally in our pursuit of success.

Christian Schmutz Founder & CEO, Zebrabox

“Our Janus / Nokē self storage experience has been exceptional. The design is user-friendly, making access simple for our customers.

Janus provided top-notch support, always available and knowledgeable. The latest Nokē technology and automated systems have greatly improved our operations and security. We are extremely satisfied and highly recommend Janus for self storage solutions.

Sally King Operations Manager, Norbreck Self Storage

SERVICES

We offer a comprehensive set of services to fulfil your requirements:



CONSULTATION

Leverage over 30 years of industry expertise to guide your project from concept to completion while also handling building control liaison.



DESIGN

Optimise your saleable space with bespoke solutions that maximise efficiency and profitability.



INSTALLATION

Whether you’re a self storage start-up, an established PLC, or somewhere in between, our team ensures excellent implementation.



SUPPLY ONLY

Choose a flexible, alternative solution tailored to your requirements.



AFTERCARE

From start to finish and beyond, our team is here to support you every step of the way.



MANUFACTURE

Count on our durable, high-quality products designed to safeguard your investment for years to come.



PROJECT MANAGEMENT

A dedicated Project Manager as your main point of contact to support and guide you through the process, offering a personalised experience.



PRODUCTS

MANUFACTURED IN HOUSE

Choosing a partner for your self storage product requirements can seem like a big decision. We aim to maximise your lettable area and our extensive product range provides you with options that complements your branding quality assurance needs.

PARTITION SYSTEMS & UNIT PARTITIONS

Maximise your facility's saleable area with bespoke solutions. Our Partition Systems and Unit Partitions are engineered to provide robust, versatile, and sustainable products that enhance your facility's efficiency and customer experience.

Designed to create durable and secure divisions within self storage facilities, our systems offer flexibility and long-term performance. These are tailored to meet the unique needs of your facility, ensuring optimal functionality and a polished appearance.

What's Included in Our Partition Systems?

- Unit Partitions
- Doors
- Lockers
- Nokē Smart Entry system

Our Unit Partitions include the below as standard*:

- Walls
- Headers
- Kicker Plates
- Corner Protection

By combining high-quality materials and innovative design, our Partition Systems and Unit Partitions set the standard for functionality and aesthetics in self storage facilities.

*Refer to pages 24 & 25 for additional options.

DOORS

Our doors are tough, secure, attractive, and ultra-reliable. Complementing our Unit Partitions solutions, our comprehensive range of roller doors and swing doors are built to meet the diverse needs of self storage facilities.



ROLLER DOORS

The 650R Roller Door is the industry’s leading choice for reliability and performance. Trusted globally, this steel door has been developed for durability and requires minimal maintenance, ensuring years of smooth operation. Its robust design make it a standout option for any self storage facility.



FLAT SWING DOORS

Our Flat Swing Doors, available in single or double configurations, deliver a sleek and modern look to self storage corridors. These flush, high-quality doors feature smooth edges for safety, easy installation, and a polished finish. They are ideal for facilities looking to maintain a clean, contemporary aesthetic.



HI-SECURITY PROFILED DOORS

If you are thinking of extra security, then the Janus Hi-Security Profiled Swing Door is the solution. These sturdy and resilient doors have minimal flex which reduces hinge strain and extends life even with heavy usage. They are easily installed and come with a lip frame, making the door extra secure.

ROLLER DOORS



SPECIFICATIONS

Height	2000mm – 3000mm
Width	1000mm, 1200mm, 1500mm, 2000mm, 2500mm
Thickness	Polyester: 0.45mm; Plastisol: 0.50mm; GreenCoat® 0.50mm
Material	Colour coated steel
Finishing	Polyester, Plastisol and GreenCoat® Pural BT
Door Colours	View our colour range on page 21

FEATURES & BENEFITS

- Extensive product warranty
- Pre-fitted with standard components: The latch, brackets and tensioner are already in place on a 650R Roller Door

FLAT SWING DOORS



SPECIFICATIONS

Height	925mm – 2400mm
Width	750mm, 1000mm (door opening)
Thickness	31.5mm
Configurations	Single or Double Swing
Material	0.7mm
Finishing	Plastisol & GreenCoat® Pural BT
Door Colours	View our colour range on page 21

FEATURES & BENEFITS

- Extensive product warranty
- Products built to last
- Contemporary finish

HI-SECURITY PROFILED SWING DOORS



SPECIFICATIONS

Height	925mm – 2400mm
Width	750mm, 1000mm
Thickness	Polyester: 0.45mm; Plastisol: 0.70mm; GreenCoat® 0.50mm
Door Thickness	46.5mm
Profile Depth	19mm
Configurations	Single or Double Swing
Material	Steel
Finishing	Door is trimmed in Zinalume coated steel, the corrugated panel can be coated in Polyester, Plastisol or GreenCoat® Pural BT
Door Colours	View our colour range on page 21

FEATURES & BENEFITS

- 20-Year Warranty on Janus installed sites
- Lipped edge for increased security
- High-grade hinge attachments

LOCKS & LATCHES

Our doors are designed to accommodate a wide range of locks and latches tailored specifically for self storage solutions.

These locks and latches can be installed on either the left-hand or right-hand side of our roller and swing doors, offering maximum flexibility and convenience for your storage facility.

Engineered for durability and high performance, our locks and latches feature minimal corridor intrusion and an ergonomic design that combines robust security with a sleek, modern aesthetic.

For a timeless solution, our Streamline Recessed Latches provide a traditional locking system with the added benefit of manual overlocking functionality. For those seeking advanced access control, consider upgrading to the Nokē™ Smart Entry System for a smarter, more convenient storage experience.

CORRUGATED DOOR LATCHES

CORRUGATED RECESSED PADLOCK SPECIFICATIONS



Height	95mm
Width	280mm
Material	Stainless steel with plastic components
Finishing	Brushed Stainless Steel

MINI LATCH SPECIFICATIONS



Height	90mm
Width	180mm
Material	Stainless steel
Finishing	Brushed Stainless Steel

BEZEL CYLINDER LATCH SPECIFICATIONS



Height	90mm
Width	200mm
Material	Stainless steel
Finishing	Chrome or Brushed Stainless Steel

FLAT DOOR LATCHES

RECESSED PADLOCK SPECIFICATIONS



Height	160mm
Width	230mm
Material	Stainless steel
Finishing	Brushed Stainless Steel and Plastic

SLIDE LATCH SPECIFICATIONS



Height	90mm
Width	270mm
Material	Stainless steel
Finishing	Brushed Stainless Steel

CA2 LATCH SPECIFICATIONS



Height	60mm
Width	110mm
Material	Stainless steel
Finishing	Brushed Stainless Steel

SLIDE BEZEL LATCH SPECIFICATIONS



Height	90mm
Width	270mm
Material	Stainless steel
Finishing	Brushed Stainless Steel

BEZEL LATCH SPECIFICATIONS



Height	55mm
Width	250mm
Material	Stainless steel
Finishing	Chrome

GAME-CHANGING SELF STORAGE ACCESS CONTROL

The Nokē™ Smart Entry system offers effortless convenience to both tenants and operators while ensuring robust security.

Nokē™ combines innovative hardware, cloud based software, and a mobile app to provide simple, secure, and convenient access and

facility management. Specifically engineered for the self storage industry.

KEY BENEFITS OF NOKĒ™ SMART ENTRY

EFFORTLESS TENANT ACCESS
Unlock facility access points and units using a smart phones. No traditional keys or codes required

REMOTE FACILITY MANAGEMENT
Manage facilities from anywhere

24/7 TECHNICAL SUPPORT
Round-the-clock support for uninterrupted operations

ADVANCED SECURITY
Encrypted, cloud-based security plus motion and temperature sensors

REAL-TIME NOTIFICATIONS
Operators, managers, and tenants stay informed through configurable alerts

INTEGRATION WITH 40+ PMS PROVIDERS
Easy integration with trusted Property Management Software solutions

SUPPLIED, INSTALLED, SUPPORTED

Managed entirely by our in-house team, we develop, supply, install, and support the complete access solution.



INNOVATIVE SOLUTIONS FOR EVERY FACILITY

Nokē™ Smart Entry delivers an innovative smart access solution designed to modernise storage facilities.

HARDWIRED



NOKĒ ION™

- Constant, low-voltage power
- Enhanced locking mechanism
- Customisable
- Low maintenance
- Sleek in-the-door-frame design
- Independent motion in unit

WIRELESS



NOKĒ INFINITE™

- Bluetooth & NFC
- 5 Year battery life guaranteed
- Factory installed
- 50% less power
- Tamper resistant
- Stronger signal, faster install

Available Soon! Contact our team to register your interest and receive launch updates



NOKĒ ONE™

- Enhanced battery life
- Quick installation
- Thermal motion sensor
- On-door lock placement, ideal for retrofit

ACCESS



- Gates
- Sliding Doors
- Overhead Doors
- Pedestrian Doors
- Goods & Passenger Lifts
- Office / Reception Doors

NOKĒ™ RETROFIT



Operators can modernise their existing self storage facilities with Nokē™ Smart Entry, unlocking the full potential of smart access technology.



MEZZANINES

A self storage project often starts with just a building shell into which the storage structures and service elements are built to create the facility. Mezzanine floors are used to create additional floor levels for maximum storage space and are bespoke to the design of the building.

Leverage your facility's lettable space with the installation of a high-quality mezzanine floor. These structures are bespoke to your requirements and help boost space utilisation, as well as revenue potential.

SPECIFICATIONS

Services	Stairways, Lifts, Fire Protection, Full Electrical Installation
Material	Steel structure with decking made of T&G chipboard 38mm thick, as standard
Fire rating	60 minute suspended ceilings, plasterboard ceilings, fascia

FEATURES & BENEFITS

- Maximise the lettable floor space of your building with additional tiers of mezzanine flooring in order to generate additional revenue
- Freestanding
- Designed with space maximisation in mind

COMPREHENSIVE SERVICES INCLUDE:

- Building Regulations approvals to ensure compliance
- Fire Protection measures for safety
- Electrical and Mechanical Works including, fire alarm, CCTV, general & emergency lighting and power
- Staircases for convenient access
- Goods & Passenger Lifts to enhance functionality

EXTERNAL STORAGE SOLUTIONS

Our relocatable storage units are the ideal solution for maximising unused land. Designed to fit unconventional areas, these units optimise lettable space and increase rental income.

With MASS and Vault units, turn underutilised property into profitable, saleable space effortlessly. Built with recyclable materials using sustainable processes, our units ensure durability, longevity, and environmental responsibility.

Proudly developed and manufactured in the UK and Poland, the Janus MASS and Vault units are an original Janus design, built by trusted storage experts.

If you're looking to enhance the functionality, security, and adaptability of your current containers, the Janus container upgrade kit is ideal.

MASS UNIT



EXTERNAL

Front height	2890mm
Rear height	2730mm
Length	6020mm
Width	2440mm

DOOR OPENING

Height	2200mm
Width	1 Door (1600mm), 2 Door (2200mm), 3 Door (1400mm), 4 Door (1000mm)

The MASS (Movable Additional Storage Structure) provides scalable external storage tailored to your business needs. With configurations from 1 to 4 doors, it's built to meet customer demands while maximising space.

FEATURES

- Galvanised steel roof with tapered design for water runoff
- Weather-resistant polyester-coated walls
- Floor structure made from high-grade galvanised steel with wood flooring
- Fitted with stainless steel recessed locks as standard with the Nokē™ Smart Entry System available as an optional extra
- Wide choice of door colours and finishes
- Low-maintenance roller doors for effortless operation

INTERNAL

Length	5850mm
Width	2250mm
Headroom	2615mm (lowest point), 2744mm (highest point)
Weight	1,000kg

VAULT UNIT



Janus Vault units create additional storage for indoor or outdoor use. Delivered flat-packed for easy transport and assembly, these units are cost-effective, long-lasting, and adaptable.

FEATURES

ROOF

- Galvanised steel with anti-condensation coating
- Pitched design for water run off to the rear

WALLS

- Weather resistant polyester coated steel
- Exterior wall available in a range of colours and interior wall painted as standard with a two-layer grey backside coating

DOORS AND LOCKS

- Roller door available in a wide range of colours
- Handle and hardware installed in production
- Stainless steel recessed lock, optional Nokē™ Smart Entry System

FLOOR / INTERIOR

- Aluminium checker plate floor to minimise dirt (thickness: 2mm. Reinforced skeleton structure) and waterproof, non-slip technology
- Floor load capacity of 5 kN/m²
- Vented walls for continuous airflow and condensation control

BASE / FRAME

- High-quality galvanised steel with a smooth overall surface finish
- Integrated forklift pockets for ease of relocating units

EXTERNAL

Front height	2600mm
Rear height	2555mm
Length	3000mm
Width	2400mm

INTERNAL

Floor space	2900mm (l) x 2300mm (w)
Headroom	2380mm

DOOR OPENING

Height	2000mm
Width	1500mm

Total Rentable Area Per Unit	7.2m² (6.67 m² NLA)
Flat packed dimensions	760mm (h) x 3200mm (l) x 2400mm (w)
Weight	1,000 kg



CONTAINER UPGRADE KIT



SPECIFICATIONS

Height	1900mm from the floor to the bottom of the header
Width	2170mm
Thickness	Polyester: 0.45mm; Plastisol: 0.50mm; GreenCoat® 0.50mm
Finishing	Polyester, Plastisol and GreenCoat® Pural BT

The Janus container upgrade kit comes as a complete kit for easy installation. This solution allows for the seamless installation of the Janus high-quality roller doors on any shipping container, offering a cost-effective means of upgrading your containers to meet customers' requirements.

FEATURES

- Material: colour coated steel
- Extensive product warranty
- Full range of door colours and finishes
- Provided as a complete container upgrading kit
- Low-maintenance roller doors for smooth operation
- Enables the addition of Nokē™ Smart Entry

“Working with Janus has been a game-changer for our self storage business. Their innovative technology and expert design solutions transformed our operations.”

Augusts Iesalnieks
CEO, Box Storage Group

GREENCOAT PURAL® BT BY SSAB & COLOUR OPTIONS

Our doors come in a range of standard colours for both profiled and flat doors.*

If you are looking for a sustainable solution to steel colour coating, GreenCoat® Pural BT by SSAB is for you. As a pioneering Nordic-quality steel colour-coating product that features bio-based technology, a substantial proportion of traditional fossil-fuel-based chemicals are replaced by Swedish rapeseed oil.


Our doors are also available in Plastisol Leather Grain and Polyester-painted finishes.

**Customised colours are available upon request.*


GREENCOAT PURAL® BT Colour range for profiled doors

 AZTEC YELLOW (BS10E55)	 PURE ORANGE (RAL2004)	 POPPY RED (BS04E53)
 LINDEN GREEN (BS12E53)	 MARINE BLUE (RAL5002)	 SOLENT BLUE (BS18E53)
 WHITE (BS00E55)	 SILHOUETTE GREY (RAL7030)	



Colour range for flat doors

 AZTEC YELLOW (BS10E55)	 PURE ORANGE (RAL2004)	 POPPY RED (BS04E53)
 LINDEN GREEN (BS12E53)	 MARINE BLUE (RAL5002)	 SOLENT BLUE (BS18E53)
 WHITE (BS00E55)	 BLACK (BS00E53)	

PLASTISOL LEATHER GRAIN Colour range for profiled doors

 WHITE (BS00E55)	 BLACK (BS00E53)	 RAVEN (18B29)	 GOOSEWING GREY (RAL0807005)
 MERLIN GREY (18B25)	 MUSHROOM (10B19)	 ANTHRACITE (RAL7016)	 VAN DYKE BROWN (08B29)
 OLIVE GREEN (12B27)	 FOREST GREEN (RAL6002)	 LINDEN GREEN (BS12E53)	 JUNIPER GREEN (12B29)
 NAVY BLUE (RAL5003)	 AZTEC YELLOW (BS10E55)	 POPPY RED (BS04E53)	 TANGERINE ORANGE (BS06E53)


Colour range for flat doors

 WHITE (BS00E55)	 BLACK (BS00E53)	 RAVEN (18B29)	 GOOSEWING GREY (RAL0807005)
 ANTHRACITE (RAL7016)	 SAFFRON (BS08E53)	 POPPY RED (BS04E53)	 TANGERINE ORANGE (BS06E53)
 AZTEC YELLOW (BS10E55)	 LINDEN GREEN (BS12E53)	 FOREST GREEN (RAL6002)	 MOORLAND GREEN (12B21)
 HONESTY (10C31)	 TERRACOTTA (04C39)	 NAVY BLUE (RAL5003)	 WEDGEWOOD BLUE (18C37)

POLYESTER PAINTED Colour range for profiled doors

 GLOSS WHITE (RAL9016)	 BLACK (BS00E53)	 SLATE GREY	 SILHOUETTE GREY (RAL7030)
 ANTHRACITE (RAL7016)	 SLATE BLUE (18B29)	 LINDEN GREEN (BS12E53)	 JUNIPER GREEN (12B29)

Colour range for flat doors

 WHITE (BS00E55)	 BLACK (BS00E53)	 SLATE GREY	 SLATE BLUE (18B29)
 JUNIPER GREEN (12B29)			

Colours may vary due to screen and print settings. Please request swatch samples for accurate colour matching.

LOCKERS

Optimise your facility's income potential with our versatile locker solutions. Perfect for underused spaces, these self storage lockers come in three options: Manhattan, Cube, and Wine Lockers.

Manhattan and **Cube Lockers** are ideal for offering customers smaller, flexible storage units.

Wine Lockers are manufactured for secure wine storage, allowing you to provide a premium service and charge higher rental rates.

BENEFITS

- Quick and easy to install on-site
- Modular in design utilising small spaces



MANHATTAN LOCKERS



SPECIFICATIONS

Unit Width	790mm-1240mm
Unit Depth	630mm - 1430mm
Size	0.5-1.75m ²
Thickness	0.55mm
Material	GS500 Steel
Connection	Tek Screws
Base	Steel base
Finishing	High-gloss, white internal wall with any doors
Colours	View our colour range on page 21

FEATURES

Available in a range of different heights.

WINE LOCKERS



SPECIFICATIONS

Height	To match system height
Unit Width	1040mm for a 1000mm door
Unit Depth	530mm and 1030mm
Thickness	0.55mm
Material	GS500 Steel
Connection	Tek Screws
Base	Profiled & perforated Steel Base (to allow airflow)
Finishing	High-gloss, white corridor wall, zinc internal wall

FEATURES

Louvre doors to help with ventilation and circulate airflow.

CUBE LOCKERS



SPECIFICATIONS

Length	1000mm
Width	1000mm
Thickness	0.7mm
Material	GS500 painted steel
Connection	Panel connection
Configuration	Cube design
Finishing	White Gloss, Zinc, Galvanised Steel
Colours	View our colour range on page 21


FEATURES

Ability to stack lockers.

ADDITIONAL COMPONENTS

Optional add-ons for enhanced strength and security.

To provide your unit partitions with added strength and security, we offer a range of additional components.



FEATURES & BENEFITS

- Obscure the dark roof void in the corridors
- Create clean, bright, attractive environment for all users
- Gloss white, hi-tensile for greater light reflection
- Convenient, cost-effective way to run cables and support lights

SOFFITS

Corridor soffits make the ceiling of a storage facility economical as well as attractive. The soffit provides a clean finish to the corridor and maximises lighting, which is appealing to potential customers.

SPECIFICATIONS

Length	2000mm - 3000mm
Configuration	Flat 800 (800mm width), Flat 500 (500mm width), Profiled (1000mm width) x2 500mm width panels
Thickness	Flat: 0.7mm, Profiled: 0.55mm
Material	Steel
Connection	Tek Screws
Finishing	Gloss White
Colours	White



FEATURES & BENEFITS

- Increases durability of walls
- Quick and easy to install
- Manufactured using zincalume, which is highly resistant to corrosion and scratching

MIDSPAN

The Midspan offers additional strength, support, and integrity to the internal walls, without having to utilise load bearing walls.

SPECIFICATIONS

Length	3000mm
Width	30mm
Thickness	0.7mm
Material	Zincalume
Connection	Tek Screws
Configuration	Midspan stiffener
Finishing	Zinc




Galvanised rolled mesh is a cost-effective security solution, that allows light and air flow to enter inside the unit and is also corrosion-protected. When purchasing the mesh product, Top Hat profiles are included as standard.

SPECIFICATIONS

Length	Variable
Thickness	2mm
Aperture	50mm
Roll Size	Width 1m, Length 25m
Material	Rolled wire mesh
Connection	Tek Screws and Mesh Clips
Configuration	Horizontal and Vertical for added security
Finishing	Galvanised


MESH



FEATURES & BENEFITS

- Preventing unit-to-unit access
- Cost-effective secure solution
- Durable and long-lasting
- Easily recyclable

ROLLER DOOR GUIDE BRUSHES



Roller Door Guide Brushes are securely fastened to the edges of a roller door to reduce noise levels.

SPECIFICATIONS

Length	10mm minimum
Width	10mm
Thickness	15mm
Material	Rubber with brush
Connection	Push on connection
Configuration	Fits to the inside of the track guide
Finishing	Rubber

FEATURES & BENEFITS

- Removes electrostatic charge, providing a high degree of safety
- Reduces noise level (dB reduction)
- Reliable and economical

SUSTAINABILITY

We are building a socially and environmentally responsible business fit for the future.

As the world's leading supplier of self storage and access control solutions, Janus delivers operational excellence and the highest quality products whilst championing environmental protection.

We are dedicated to reducing our carbon footprint and achieving 100% recyclability. Our business management system aligns with ISO 9001:2015 for Quality Management and ISO 14001:2015 for Environmental Management.

Through sustainable manufacturing, we prioritise long-lasting, recyclable materials. Our Authorised Economic Operator status enhances supply chain

strength, while our raw materials come from suppliers adhering to strict ESG standards. We source timber from FSC and PEFC-certified suppliers, meeting UK Forestry Commission guidelines and international ISPM 15 standards.

Janus supports transparency by participating in the Swedish EBVD Construction Product Declaration initiative, enabling customers to evaluate product sustainability from "cradle to end of life." With our Zero Waste to Landfill certification, we demonstrate full accountability for end-of-life materials.

As a trusted partner, Janus assists in creating next-generation, carbon-neutral facilities, leading the industry with sustainable self storage solutions.

“Janus has been an exceptional partner, providing top-notch products that enhance the functionality and aesthetic appeal of our storage units. Their commitment to quality and innovation aligns perfectly with our mission to offer our customers the best storage solutions.

Lisa Jackson,
Chief Operating Officer, The Box



GETTING STARTED IN SELF STORAGE

Thinking of launching a self storage business but unsure where to begin? We're here to guide you!

Self storage has consistently proven to be resilient even during economic uncertainty, making it a compelling addition to any investment portfolio. Whether you're considering conversions, new builds with internal storage units, external unit / container sites, or mixed-use developments, self storage offers numerous possibilities.

This industry presents entrepreneurs, developers, property owners, and

investors with a unique opportunity to diversify their portfolios while maintaining confidence and security.

Key benefits of the self storage sector include:

- Flexible rental rate adjustments.
- A broad and diverse tenant base.
- A proven track record of recession resistance.

Interested in setting up a self storage business? Get in touch with our friendly team of experts: sales@januseurope.com.



JANUS

INTERNATIONAL EUROPE



+44 (0)20 8744 9444



sales@januseurope.com



januseurope.com

VERSION 3.0